

Septiembre 2005.

Derechos Reservados por OTIS.
Reproducido con Permiso



Referencias:

AW MM, *et al.* 1999. Neonatal paracetamol poisoning. Arch Dis Child Fetal Neonatal Ed. 81(1):F78.

Cleves MA, *et al.* 2004. National Birth Defects Prevention Study. Maternal use of acetaminophen and nonsteroidal anti-inflammatory drugs (NSAIDs), and muscular ventricular septal defects. Birth Defects Res A Clin Mol Teratol 70(3):107-13.

Committee on Drugs, American Academy of Pediatrics. The transfer of drugs and other chemicals into human milk. Pediatrics 2001; 108: 776-89

Jick H, *et al.* 1981. First-trimester drug use and congenital disorders. JAMA 246(4):343-6.

McElhatton PR, *et al.* 1997. Paracetamol overdose in pregnancy analysis of the outcomes of 300 cases referred to the Teratology Information Service. Reprod Toxicol 11(1):85-94

Riggs BS, *et al.* 1989. Acute acetaminophen overdose during pregnancy. Obstet Gynecol 74(2):247-53.

Rosevear SK, Hope PL. 1989. Favourable neonatal outcome following maternal paracetamol overdose and severe fetal distress. Case report. Br J Obstet Gynaecol 96(4):491-3.

Streissguth AP, *et al.* 1987. Aspirin and acetaminophen use by pregnant women and subsequent child IQ and attention decrements. Teratology 35(2):211-9.

Thulstrup AM, *et al.* 1999. Fetal growth and adverse birth outcomes in women receiving prescriptions for acetaminophen during pregnancy. EuroMap Study Group. Am J Perinatol 16(7):321-6.